

Table 2. ARD Mortality Rate by Country and Disease (from GBD Study 2016)*

Country	Attributed to occupational exposure to asbestos					Non-occup. Mesothelioma (inferred)	Total including all Mesothelioma
	Mesothelioma	Lung cancer	Asbestosis	Ovarian and Larynx cancer	Total		
United Kingdom	4.34	21.50	0.32	1.43	27.59	0.04	27.63
Netherlands	3.73	22.43	0.07	0.97	27.21	0.04	27.25
Italy	2.81	21.17	0.17	1.30	25.44	0.05	25.49
Belgium	2.45	21.04	0.22	0.87	24.58	0.04	24.62
Greenland	1.18	21.62	0.04	0.39	23.22	0.04	23.26
Denmark	2.30	18.54	0.18	1.05	22.06	0.04	22.10
Andorra	4.12	15.96	0.21	0.66	20.95	0.04	20.99
France	2.38	15.53	0.40	0.92	19.22	0.04	19.26
Germany	2.11	15.37	0.24	0.85	18.58	0.04	18.62
Croatia	1.58	15.10	0.14	0.83	17.66	0.04	17.70
Australia	3.18	12.52	0.32	0.78	16.80	0.04	16.84
Malta	2.18	13.51	0.15	0.74	16.58	0.04	16.62
Canada	1.78	13.85	0.17	0.43	16.23	0.04	16.27
Switzerland	2.42	12.12	0.03	0.62	15.19	0.04	15.23
Finland	1.88	10.94	0.37	0.63	13.81	0.04	13.85
New Zealand	2.14	10.50	0.22	0.51	13.37	0.04	13.41
Japan	1.15	11.56	0.25	0.23	13.20	0.05	13.25
Slovenia	1.43	10.35	0.23	0.62	12.63	0.04	12.67
Luxembourg	1.36	10.64	0.05	0.53	12.58	0.04	12.62
Norway	1.52	10.03	0.15	0.53	12.24	0.04	12.27
United States	0.98	10.61	0.19	0.38	12.16	0.04	12.20
Sweden	1.75	9.09	0.13	0.74	11.71	0.04	11.75
Austria	1.35	8.85	0.04	0.60	10.84	0.04	10.88
Cyprus	1.32	8.91	0.10	0.45	10.78	0.04	10.82
Spain	1.06	8.90	0.15	0.49	10.61	0.04	10.65
Greece	0.73	8.89	0.02	0.42	10.06	0.04	10.10
Iceland	1.13	8.45	0.04	0.39	10.02	0.04	10.05
Ireland	0.95	8.37	0.08	0.35	9.75	0.03	9.79
Poland	0.60	6.50	0.03	0.40	7.54	0.04	7.58
Virgin Islands, U.S.	0.97	5.19	0.05	0.56	6.77	0.05	6.82
Bermuda	0.56	4.55	0.01	0.33	5.44	0.04	5.48
Turkey	0.64	4.50	0.03	0.19	5.36	0.04	5.40
Portugal	0.60	4.39	0.05	0.26	5.31	0.04	5.35
Hungary	0.36	4.48	0.01	0.25	5.10	0.04	5.15
Armenia	0.60	3.81	0.01	0.31	4.72	0.04	4.76
Singapore	0.43	4.09	0.01	0.10	4.62	0.04	4.65
Israel	0.55	3.79	0.02	0.26	4.62	0.03	4.65
Czech Republic	0.44	3.89	0.01	0.25	4.60	0.04	4.64
Serbia	0.36	3.86	0.01	0.19	4.42	0.04	4.46
Latvia	0.43	3.58	0.01	0.37	4.38	0.04	4.43
Uruguay	0.34	3.72	0.02	0.20	4.28	0.04	4.32
Guam	0.30	3.53	0.04	0.07	3.94	0.04	3.98
Bosnia and Herzegovina	0.23	3.45	0.02	0.12	3.82	0.04	3.87
Estonia	0.36	3.07	0.01	0.29	3.72	0.04	3.76
Argentina	0.46	2.87	0.06	0.22	3.62	0.04	3.65
South Korea	0.23	3.15	0.05	0.06	3.50	0.04	3.54
South Africa	0.53	2.54	0.22	0.17	3.46	0.03	3.49

Table 2. ARD Mortality Rate by Country and Disease (from GBD Study 2016)*

Country	Attributed to occupational exposure to asbestos					Non-occup. Mesothelioma (inferred)	Total including all Mesothelioma
	Mesothelioma	Lung cancer	Asbestosis	Ovarian and Larynx cancer	Total		
Lesotho	0.43	2.59	0.25	0.18	3.45	0.03	3.48
Russia	0.43	2.54	0.02	0.28	3.27	0.05	3.32
Lithuania	0.35	2.54	0.01	0.35	3.25	0.04	3.29
Taiwan	0.22	2.85	0.06	0.05	3.18	0.04	3.23
Ukraine	0.68	1.81	0.01	0.45	2.95	0.04	2.99
Romania	0.32	2.25	0.01	0.19	2.77	0.05	2.82
Slovakia	0.25	2.19	0.01	0.14	2.59	0.04	2.64
Montenegro	0.19	2.00	0.19	0.12	2.50	0.04	2.53
Albania	0.25	2.01	0.01	0.09	2.36	0.04	2.40
Belarus	0.34	1.70	0.01	0.23	2.27	0.04	2.31
Thailand	0.33	1.86	0.01	0.06	2.26	0.05	2.31
Vietnam	0.14	1.95	0.01	0.04	2.12	0.04	2.16
Botswana	0.33	1.50	0.14	0.09	2.06	0.03	2.09
Myanmar	0.30	1.46	0.01	0.26	2.03	0.04	2.07
Iran	0.45	1.43	0.01	0.12	2.00	0.04	2.05
Chile	0.32	1.53	0.02	0.08	1.96	0.04	2.00
Swaziland	0.26	1.45	0.14	0.08	1.94	0.02	1.96
Brunei	0.23	1.53	0.00	0.09	1.86	0.04	1.89
Cuba	0.15	1.53	0.01	0.10	1.78	0.04	1.82
Puerto Rico	0.27	1.31	0.02	0.09	1.68	0.04	1.72
Georgia	0.33	1.19	0.01	0.15	1.67	0.04	1.71
Brazil	0.33	1.15	0.03	0.13	1.64	0.04	1.68
Grenada	0.32	1.05	0.03	0.17	1.57	0.04	1.61
China	0.16	1.31	0.02	0.03	1.53	0.04	1.57
Belize	0.30	1.14	0.01	0.08	1.53	0.04	1.57
North Korea	0.13	1.34	0.03	0.03	1.53	0.04	1.56
Dominica	0.20	1.19	0.01	0.08	1.49	0.03	1.52
Jamaica	0.16	1.11	0.01	0.07	1.34	0.03	1.38
Kazakhstan	0.20	0.98	0.06	0.10	1.33	0.03	1.36
Maldives	0.28	0.85	0.01	0.05	1.19	0.04	1.23
Tonga	0.10	1.01	0.03	0.03	1.16	0.03	1.19
Fed. States of Micronesia	0.16	0.87	0.03	0.05	1.11	0.03	1.14
Bahrain	0.22	0.74	0.06	0.04	1.06	0.04	1.10
Barbados	0.23	0.69	0.01	0.10	1.03	0.04	1.07
The Bahamas	0.19	0.69	0.01	0.11	1.00	0.04	1.04
American Samoa	0.18	0.70	0.02	0.10	0.99	0.03	1.03
Bolivia	0.20	0.67	0.02	0.09	0.98	0.03	1.01
Bulgaria	0.10	0.70	0.08	0.06	0.94	0.04	0.98
Sri Lanka	0.34	0.53	0.01	0.05	0.93	0.04	0.98
Bangladesh	0.08	0.82	0.02	0.03	0.94	0.03	0.97
Lebanon	0.11	0.73	0.01	0.08	0.93	0.03	0.96
Seychelles	0.16	0.63	0.01	0.10	0.89	0.04	0.93
Mexico	0.25	0.54	0.02	0.07	0.87	0.03	0.91
Tunisia	0.11	0.70	0.01	0.05	0.87	0.03	0.90
Namibia	0.29	0.38	0.13	0.07	0.87	0.02	0.89
Paraguay	0.14	0.63	0.01	0.06	0.85	0.03	0.88
Malaysia	0.09	0.68	0.00	0.02	0.81	0.04	0.84

Table 2. ARD Mortality Rate by Country and Disease (from GBD Study 2016)*

Country	Attributed to occupational exposure to asbestos					Non-occup. Mesothelioma (inferred)	Total including all Mesothelioma
	Mesothelioma	Lung cancer	Asbestosis	Ovarian and Larynx cancer	Total		
Libya	0.10	0.64	0.01	0.05	0.80	0.03	0.83
Vanuatu	0.14	0.60	0.03	0.04	0.80	0.03	0.83
Colombia	0.17	0.55	0.01	0.05	0.78	0.03	0.82
Cambodia	0.11	0.63	0.00	0.04	0.78	0.04	0.81
Suriname	0.14	0.52	0.03	0.08	0.77	0.03	0.80
Peru	0.16	0.50	0.02	0.05	0.72	0.03	0.76
Afghanistan	0.20	0.46	0.01	0.07	0.73	0.02	0.75
Solomon Islands	0.12	0.53	0.03	0.03	0.71	0.03	0.74
Macedonia	0.06	0.56	0.01	0.04	0.67	0.04	0.71
Haiti	0.15	0.45	0.01	0.06	0.67	0.03	0.70
Trinidad and Tobago	0.14	0.45	0.01	0.06	0.66	0.04	0.70
Fiji	0.23	0.39	0.01	0.03	0.66	0.04	0.69
Mauritius	0.11	0.50	0.01	0.03	0.65	0.04	0.69
Morocco	0.16	0.41	0.01	0.06	0.64	0.03	0.67
Guyana	0.25	0.28	0.01	0.09	0.63	0.04	0.67
Philippines	0.10	0.46	0.01	0.02	0.59	0.04	0.63
St. Vincent and Grenadines	0.13	0.37	0.02	0.07	0.59	0.03	0.62
Jordan	0.10	0.46	0.00	0.02	0.58	0.03	0.61
Panama	0.12	0.41	0.01	0.03	0.57	0.03	0.60
India	0.15	0.31	0.04	0.05	0.54	0.03	0.57
Gabon	0.14	0.32	0.02	0.06	0.54	0.03	0.57
Saint Lucia	0.14	0.30	0.01	0.06	0.52	0.04	0.55
Moldova	0.11	0.35	0.01	0.05	0.51	0.04	0.55
Iraq	0.10	0.38	0.01	0.03	0.52	0.03	0.55
Papua New Guinea	0.10	0.33	0.06	0.02	0.52	0.03	0.54
Venezuela	0.08	0.38	0.01	0.03	0.50	0.03	0.53
Laos	0.08	0.38	0.00	0.02	0.49	0.03	0.53
Central African Republic	0.12	0.32	0.01	0.04	0.49	0.02	0.52
Costa Rica	0.11	0.32	0.01	0.03	0.46	0.03	0.50
Kiribati	0.08	0.25	0.12	0.02	0.47	0.03	0.50
Zimbabwe	0.09	0.31	0.02	0.06	0.47	0.02	0.49
Marshall Islands	0.09	0.33	0.02	0.02	0.46	0.03	0.49
Oman	0.11	0.31	0.00	0.01	0.44	0.05	0.48
Ecuador	0.11	0.29	0.01	0.04	0.45	0.03	0.48
Mongolia	0.06	0.37	0.01	0.01	0.44	0.03	0.47
Congo	0.12	0.26	0.01	0.05	0.45	0.02	0.47
Bhutan	0.13	0.24	0.03	0.03	0.43	0.03	0.47
Pakistan	0.08	0.28	0.02	0.05	0.43	0.03	0.46
Equatorial Guinea	0.10	0.29	0.01	0.03	0.43	0.02	0.45
Azerbaijan	0.07	0.30	0.01	0.02	0.40	0.04	0.44
Nepal	0.11	0.24	0.02	0.04	0.41	0.03	0.43
Indonesia	0.13	0.22	0.01	0.03	0.38	0.04	0.42
Honduras	0.10	0.23	0.01	0.03	0.38	0.03	0.41
Timor-Leste	0.08	0.24	0.00	0.02	0.35	0.03	0.37
Samoa	0.11	0.18	0.03	0.02	0.33	0.03	0.36
Ethiopia	0.10	0.17	0.01	0.04	0.32	0.02	0.35
Egypt	0.11	0.17	0.01	0.03	0.32	0.03	0.34

Table 2. ARD Mortality Rate by Country and Disease (from GBD Study 2016)*

Country	Attributed to occupational exposure to asbestos					Non-occup. Mesothelioma (inferred)	Total including all Mesothelioma
	Mesothelioma	Lung cancer	Asbestosis	Ovarian and Larynx cancer	Total		
Northern Mariana Islands	0.03	0.26	0.02	0.01	0.32	0.02	0.34
Djibouti	0.09	0.16	0.01	0.03	0.30	0.03	0.32
Zambia	0.09	0.16	0.01	0.04	0.30	0.02	0.32
El Salvador	0.09	0.17	0.01	0.02	0.29	0.03	0.32
Guinea-Bissau	0.10	0.16	0.00	0.03	0.30	0.02	0.32
Yemen	0.08	0.19	0.01	0.02	0.29	0.02	0.32
Algeria	0.09	0.17	0.01	0.02	0.28	0.03	0.31
Cameroon	0.07	0.17	0.00	0.03	0.28	0.02	0.30
Tanzania	0.08	0.15	0.01	0.03	0.27	0.02	0.30
Kyrgyzstan	0.06	0.19	0.00	0.02	0.26	0.03	0.29
Antigua and Barbuda	0.06	0.17	0.01	0.02	0.26	0.03	0.29
Dominican Republic	0.04	0.20	0.01	0.01	0.26	0.03	0.29
Angola	0.07	0.16	0.01	0.02	0.27	0.02	0.29
Kuwait	0.07	0.15	0.00	0.01	0.24	0.03	0.27
Eritrea	0.08	0.11	0.01	0.04	0.24	0.02	0.26
Mozambique	0.07	0.13	0.01	0.03	0.24	0.02	0.26
Senegal	0.07	0.14	0.00	0.02	0.24	0.02	0.25
Somalia	0.09	0.09	0.01	0.04	0.23	0.02	0.25
Comoros	0.08	0.11	0.01	0.03	0.22	0.02	0.25
Cape Verde	0.03	0.17	0.01	0.01	0.22	0.02	0.25
Sao Tome and Principe	0.04	0.16	0.01	0.01	0.22	0.02	0.24
Dem. Republic of Congo	0.07	0.12	0.01	0.02	0.22	0.02	0.24
Rwanda	0.07	0.11	0.01	0.03	0.22	0.02	0.24
United Arab Emirates	0.07	0.10	0.02	0.01	0.19	0.04	0.24
Burundi	0.08	0.10	0.01	0.03	0.21	0.02	0.23
Cote d'Ivoire	0.08	0.09	0.00	0.03	0.20	0.02	0.23
Togo	0.06	0.12	0.00	0.02	0.20	0.02	0.22
Sudan	0.06	0.12	0.01	0.01	0.20	0.02	0.22
Malawi	0.06	0.12	0.01	0.01	0.20	0.02	0.22
Ghana	0.08	0.09	0.00	0.02	0.19	0.02	0.22
Guinea	0.07	0.09	0.00	0.02	0.19	0.02	0.21
Mauritania	0.06	0.10	0.00	0.02	0.19	0.02	0.21
Syria	0.05	0.12	0.00	0.01	0.18	0.02	0.21
Turkmenistan	0.06	0.10	0.00	0.01	0.17	0.03	0.20
Uganda	0.05	0.10	0.01	0.02	0.18	0.02	0.20
Kenya	0.07	0.08	0.01	0.02	0.18	0.02	0.20
Benin	0.06	0.10	0.00	0.02	0.18	0.02	0.20
Madagascar	0.06	0.07	0.02	0.02	0.17	0.02	0.19
Guatemala	0.05	0.09	0.01	0.01	0.16	0.03	0.19
Sierra Leone	0.06	0.08	0.00	0.02	0.16	0.02	0.18
South Sudan	0.05	0.07	0.01	0.02	0.15	0.02	0.17
Liberia	0.06	0.07	0.00	0.02	0.14	0.02	0.16
Qatar	0.04	0.08	0.00	0.00	0.13	0.03	0.16
Chad	0.04	0.08	0.00	0.01	0.13	0.02	0.15
Nicaragua	0.03	0.07	0.01	0.01	0.12	0.03	0.14
Saudi Arabia	0.03	0.07	0.01	0.01	0.12	0.03	0.14
Uzbekistan	0.04	0.06	0.01	0.01	0.11	0.03	0.14

Table 2. ARD Mortality Rate by Country and Disease (from GBD Study 2016)*

Country	Attributed to occupational exposure to asbestos					Non-occup. Mesothelioma (inferred)	Total including all Mesothelioma
	Mesothelioma	Lung cancer	Asbestosis	Ovarian and Larynx cancer	Total		
Burkina Faso	0.05	0.05	0.00	0.01	0.11	0.02	0.13
The Gambia	0.04	0.05	0.00	0.01	0.10	0.02	0.12
Niger	0.04	0.05	0.00	0.01	0.10	0.02	0.12
Palestine	0.01	0.08	0.00	0.00	0.10	0.02	0.11
Tajikistan	0.03	0.04	0.00	0.01	0.09	0.03	0.11
Mali	0.04	0.04	0.00	0.01	0.10	0.02	0.11
Nigeria	0.03	0.03	0.00	0.01	0.06	0.02	0.08
Global	0.37	2.45	0.05	0.13	3.00	0.04	3.04

*ARD - Asbestos-related Disease; GBD Study - Global Burden of Disease Study; Rate - Rate per 100,000 population.

Data on which this table is based were downloaded on October 8-10, 2017 from the Results page of the University of Washington IHME website. The figures in the "Non-Occup. Mesothelioma" column were obtained by subtracting occupational mesothelioma mortality rates from overall (GBD Study estimated) mesothelioma mortality rates.